

WRU Rail

Tapped from the bottom. Cut to length acc. to request. Rails can be joint together for extra long lengths. Contact Rollco for more information.

Dimensions in mm.




General Data


| Designation | Weight Rail (g/m) | Length (mm) | |
|-------------|-------------------|-------------|--|
| WRU21/15 | 3596 | 4000 | |
| WRU27/20 | 5259 | 4000 | |

Rollco AB • Box 22234 • 250 24 Helsingborg • Sweden • Phone +46 42 15 00 40 • info@rollco.se

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Dimensions





| Designation | H1 | W1 | Hole Pitch (P) | M x g3 | P3 |
|-------------|------|----|----------------|----------|----|
| WRU21/15 | 14.4 | 37 | 50 | M4 x 8 | 22 |
| WRU27/20 | 18.5 | 42 | 60 | M5 x 7.5 | 24 |

Rollco AB • Box 22234 • 250 24 Helsingborg • Sweden • Phone +46 42 15 00 40 • info@rollco.se

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.