ROLLCO LINEAR SOLUTIONS YOUR WAY

KH

Dimensions in mm. Other types available on request.


Material: N/A




General Data

Designation	Dynamic Load Capacity (N)	Static Load Capacity (N)	
KH0622PP	400	239	
KH0824PP	435	280	
KH1026PP	500	370	
KH1228PP	620	510	
KH1428PP	620	520	
KH1630PP	800	620	
KH2030PP	950	790	
KH2540PP	1990	1670	
KH3050PP	2800	2700	
KH4060PP	4400 4450		
KH5070PP	5500	6300	

Dimensions





Designation	I.	D	L	External Seals
KH0622PP	6	12	22	-
KH0824PP	8	15	24	-
KH1026PP	10	17	26	-
KH1228PP	12	19	28	G 12 x 19 x 3
KH1428PP	14	21	28	G 14 x 21 x 3
KH1630PP	16	24	30	G 16 x 24 x 3
KH2030PP	20	28	30	G 20 x 28 x 4
KH2540PP	25	35	40	G 25 x 35 x 4
KH3050PP	30	40	50	G 30 x 40 x 4
KH4060PP	40	52	60	G 40 x 52 x 5
KH5070PP	50	62	70	-

Rollco AB • Box 22234 • 250 24 Helsingborg • Sweden • Phone +46 42 15 00 40 • info@rollco.se

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.