Rod eye SGS

Dimensions in mm.

Material: Galvanized steel




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data


Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
SGS 25 - 9215	SGS 25	MCE 25	Galvanized steel	F MCE	0.03
SGS 32 - 9216	SGS 32	MCE 32	Galvanized steel	F MCE	0.05
SGS 45 - 9206	SGS 45	MCE 45	Galvanized steel	F MCE	0.08


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


Dimensions



Simple support







Designation	M	L1	L2	L3	L4	L5	D1	D2	R
SGS 25 - 9215	M6	40	30	9	6.75	12	6 (H7)	13	10
SGS 32 - 9216	M8	48	36	12	9	16	8 (H7)	16	12
SGS 45 - 9206	M10 × 1.25	57	43	14	10.5	20	10 (H7)	19	14

Designation	CH	Z
SGS 25 - 9215	11	13°
SGS 32 - 9216	14	14°
SGS 45 - 9206	17	13°

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.